



Title Index

A	
A comparison of propofol target controlled infusion-based and sevoflurane-based anesthesia in adults undergoing elective anterior cervical discectomy and fusion	31:150
A matched-pair comparison of single plus one port versus standard extraperitoneal laparoscopic radical prostatectomy by a single urologist	31:344
<i>Acanthopanax trifoliatum</i> inhibits lipopolysaccharide-induced inflammatory response <i>in vitro</i> and <i>in vivo</i>	31:499
Aberrant brain activation of error processing among adults with attention deficit and hyperactivity disorder	31:179
Accessory conduction pathway ablated by myocarditis in a patient with Wolff-Parkinson-White syndrome	31:550
Acute antibody-mediated rejection with graft loss during anti-tuberculosis therapy in kidney transplantation	31:437
Acute transformation of chronic-type adult T-cell leukemia/lymphoma presenting with seizures	31:603
Advances in upper airway cough syndrome	31:223
Anti-inflammatory effects of bamboo salt and sodium fluoride in human gingival fibroblasts-An <i>in vitro</i> study	31:303
Antidepressant-like effects of Sanyuansan in the mouse forced swim test, tail suspension test, and chronic mild stress model	31:605
Antigen-extracted xenogeneic cancellous bone graft with recombinant human bone morphogenetic protein-2 enhances bone regeneration in repair of mandibular defect in rabbits	31:18
Assessment of intra-interobserver reliability of the sonographic optic nerve sheath diameter measurement	31:432
Association between hematologic parameters and in-hospital mortality in patients with infective endocarditis	31:632
Association between prostatic resistive index and cardiovascular risk factors in patients with benign prostatic hyperplasia	31:194
Association of HLA and cytokine gene polymorphisms with idiopathic pulmonary fibrosis	31:613
B	
Bacille Calmette-Guerin can induce cellular apoptosis of urothelial cancer directly through toll-like receptor 7 activation	31:391
Biliary stenting for unresectable cholangiocarcinoma: A population-based study of long-term outcomes and hospital costs in Taiwan	31:370
Buffered L-ascorbic acid, alone or bound to KMUP-1 or sildenafil, reduces vascular endothelium growth factor and restores endothelium nitric oxide synthase in hypoxic pulmonary artery	31:241
C	
Ca ²⁺ movement and apoptosis induced by deltamethrin in Madin-Darby canine kidney canine renal tubular cells	31:1
Cerebral venous etiology of intracranial hypertension and differentiation from idiopathic intracranial hypertension	31:156
Challenges in the diagnosis of renal tuberculosis	31:493
Changing serum levels of quantitative hepatitis B surface antigen and hepatitis B virus DNA in hepatitis B virus surface antigen carriers: A follow-up study of an elderly cohort	31:102
Chronic mucocutaneous herpes simplex virus	31:335
Ciprofloxacin-induced severe thrombocytopenia	31:110
Clinical importance of serum hepatitis B surface antigen quantification in the natural history of chronic hepatitis B infection	31:384
Clinical performance of a new hepatitis B surface antigen quantitative assay with automatic dilution	31:18

II	Title Index
Clinically acceptable colchicine concentrations have potential for the palliative treatment of human cholangiocarcinoma	31:229
Comparison of the postoperative analgesic effects of paracetamol-codeine phosphate and naproxen sodium-codeine phosphate for lumbar disk surgery	31:468
Comparison of the Roche COBAS AmpliPrep/COBAS TaqMan HIV-1 test v1.0 with v2.0 in HIV-1 viral load quantification	31:188
Comparison of treatment outcomes of endoscope-guided pneumatic dilation and laparoscopic Heller myotomy	31:639
D	
Diagnostic value of contrast-enhanced ultrasound in thyroid nodules with calcification	31:138
Different risk factors between reflux symptoms and mucosal injury in gastroesophageal reflux disease	31:320
Dimensional approach to symptom factors of major depressive disorder in Koreans, using the Brief Psychiatric Rating Scale: The Clinical Research Center for Depression of South Korea Study	31:47
E	
Effects of sugammadex on the prevention of postoperative peritoneal adhesions	31:463
Effects of three-times-per-week versus on-demand tadalafil treatment on erectile function and continence recovery following bilateral nerve sparing radical prostatectomy: Results of a prospective, randomized, and single-center study	31:90
Efficiency of rehabilitation after acute myocardial infarction	31:351
Emerging roles of hypoxia-inducible factors and reactive oxygen species in cancer and pluripotent stem cells	31:279
EphA2 modulates radiosensitive of hepatocellular carcinoma cells via p38/mitogen-activated protein kinase-mediated signal pathways	31:499
Establish a perioperative check forum for peripheral intravenous access to prevent the occurrence of phlebitis	31:215
Evaluation of the effects of serum iron levels on lacrimal gland secretion	31:426
Extremely rare cause of obstructive jaundice: Non-neoplastic, noninfectious lymphadenitis	31:442
Eye movement desensitization and reprocessing for treating psychological disturbances in Taiwanese adolescents who experienced Typhoon Morakot	31:363
F	
Fatal outcome of persistent/recurrent Cushing's disease after pituitary surgery	31:57
G	
Genetic polymorphisms of <i>CYP2C19</i> and <i>IL1B</i> have no influence on esomeprazole treatment for mild erosive esophagitis	31:255
Gliomas with intratumoral abscess formation: Description of new cases, review of the literature, and the role of ^{99m} Tc-Leukoscan	31:377
H	
Henoch-Schönlein purpura triggered by <i>Mycoplasma pneumoniae</i> in a female infant	31:163
Host and virological characteristics of patients with hepatitis C virus mixed genotype 1 and 2 infection	31:271
Human carbofuran intoxication with myocardial injury mimicking acute myocardial infarction	31:112
I	
Identification of genes associated with melanoma metastasis	31:553
Implications of the Notch1-Snail/Slug-epithelial to mesenchymal transition axis for lymph node metastasis in infiltrating ductal carcinoma	31:70
Incidence and prognostic factor of ethambutol-related optic neuropathy: 10-year experience in southern Taiwan	31:358
Increased carotid artery intima-media thickness in patients with tympanosclerosis: Common risk factors with atherosclerosis?	31:199
Intravenous paracetamol for relief of pain during transrectal-ultrasound-guided biopsy of the prostate: A prospective, randomized, double-blind, placebo-controlled study	31:572
Investigation of possible prophylactic, renoprotective, and cardioprotective effects of thromboprophylactic drugs against ischemia-reperfusion injury	31:115
Investigations on contribution of glial inwardly-rectifying K ⁺ current to membrane potential and ion flux: An experimental and theoretical study	31:9

Title Index	III
L	
Laparoscopic adrenalectomy for large adrenal masses: Is it really more complicated?	31:644
Laparoscopic approach is the treatment of choice for sclerosing angiomatoid nodular transformation of the spleen	31:496
M	
Midterm renal functions following acute renal infarction	31:529
Modified Mitchell osteotomy alone does not have higher rate of residual metatarsalgia than combined first and lesser metatarsal osteotomy	31:203
N	
Neoadjuvant transcatheter arterial chemoembolization does not provide survival benefit compared to curative therapy alone in single hepatocellular carcinoma	31:77
Noncontrast computed tomography can predict the outcome of shockwave lithotripsy via accurate stone measurement and abdominal fat distribution determination	31:34
O	
Overview of current multiparametric magnetic resonance imaging approach in the diagnosis and staging of prostate cancer	31:167
P	
Palatal bone thickness and associated factors in adult miniscrew placements: A cone-beam computed tomography study	31:265
Percentage of free prostate-specific antigen (PSA) is a useful method in deciding to perform prostate biopsy with higher core numbers in patients with low PSA cut-off values	31:315
Polysomnographic predictors of persistent continuous positive airway pressure adherence in patients with moderate and severe obstructive sleep apnea	31:83
Posterior pole asymmetry analysis and retinal thickness measurements in young relatives of glaucoma patients	31:420
Predictive role of neutrophil-to-lymphocyte and platelet-to-lymphocyte ratios for diagnosis of acute appendicitis during pregnancy	31:591
Pregnancy-associated plasma protein A gene polymorphism in pregnant women with preeclampsia and intrauterine growth restriction	31:518
Primary cerebellopontine angle lymphoma	31:55
Primary mucosa-associated lymphoid tissue lymphoma of the urinary bladder	31:388
Prognostic factors in Taiwanese patients with penile-invasive squamous cell carcinoma	31:523
Propofol target-controlled infusion for sedated gastrointestinal endoscopy: A comparison of propofol alone versus propofol-fentanyl-midazolam	31:580
R	
Radiofrequency ablation assisted by real-time virtual sonography for hepatocellular carcinoma inconspicuous under sonography and high-risk locations	31:413
Radiofrequency ablation versus partial nephrectomy for treatment of renal masses: A systematic review and meta-analysis	31:649
Recurrent lupus mesenteric vasculitis leading to gastrointestinal perforation and sepsis	31:440
Renal sympathetic denervation prevents the development of pulmonary arterial hypertension and cardiac dysfunction in dogs	31:405
Reply: Challenges in the diagnosis of renal tuberculosis	31:494
Reversal of P-glycoprotein overexpression by <i>Ginkgo biloba</i> extract in the brains of pentylentetrazole-kindled and phenytoin-treated mice	31:398
Reversible dasatinib-related pulmonary arterial hypertension diagnosed by noninvasive echocardiography	31:165
Risk factors and treatment responses in patients with vitiligo in Japan—A retrospective large-scale study	31:260
Risk group characteristics and viral transmission clusters in South-East Asian patients infected with human immunodeficiency virus-1 (HIV-1) circulating recombinant form (CRF) 01_AE and subtype B	31:445
Risks of nonadherence to hormone therapy in Asian women with breast cancer	31:328
Rivaroxaban in preventing venous thromboembolism after arthroplastic surgery in Taiwan	31:534
Role of serum quantitative hepatitis B surface antigen (HBsAg) in HBsAg carriers in a follow-up community study	31:386

IV	Title Index
S	
Sarcoidosis and Sjögren's syndrome: Mimicry or coexistence?	31:548
Severe complication of catatonia in a young patient with Hashimoto's encephalopathy comorbid with Cornelia de Lange syndrome	31:60
Severe pneumonia in mycophenolate mofetil combined with low-dose corticosteroids-treated patients with immunoglobulin A nephropathy	31:42
Small cell neuroendocrine carcinoma of the esophagus	31:108
Standard percutaneous nephrolithotomy alone versus in combination with intraoperative anterograde flexible nephroscopy for staghorn stones: A retrospective study	31:562
Stress, needs, and quality of life of people living with human immunodeficiency virus/AIDS in Taiwan	31:485
T	
TGF- β 1 and IL-10 single nucleotide polymorphisms as risk factors for oral cancer in Taiwanese	31:123
Thallium-201 is comparable to technetium-99m-sestamibi for estimating cardiac function in patients with abnormal myocardial perfusion imaging	31:562
The effects of electromagnetic fields on the number of ovarian primordial follicles: An experimental study	31:287
The efficacy of ultrasound-guided extracorporeal shockwave therapy in patients with cervical spondylosis and nuchal ligament calcification	31:337
The gene mutation in a Taiwanese family with X-linked retinoschisis	31:309
The genotype distribution of hepatitis C in southeastern Taiwan: Clinical characteristics, racial difference, and therapeutic response	31:597
The protective effects of tadalafil on renal damage following ischemia reperfusion injury in rats	31:454
The psychosocial indicators related to neuroticism in both sexes: A study of incoming university students	31:208
The relation of neutrophil-to-lymphocyte ratio, platelet-to-lymphocyte ratio, and mean platelet volume with the presence and severity of Behçet's syndrome	31:626
The relationship between the neutrophil-lymphocyte ratio and disease activity in patients with ulcerative colitis	31:585
Therapeutic effects of 5-fluorouracil sustained-release particles in 81 malignant pericardial effusion patients	31:96
Titanium Elastic Nail versus plate fixation of displaced midshaft clavicle fractures: A retrospective comparison study	31:473
U	
Use of the Burch-Schneider cage and structural allografts in complex acetabular deficiency: 3- to 10-year follow up	31:540
Usefulness of admission hematologic parameters as diagnostic tools in acute pulmonary embolism	31:145
Utilization of ^{18}F -FDG PET/CT as a staging tool in patients with newly diagnosed lymphoma	31:130
V	
Variable uptake feature of focal nodular hyperplasia in Tc-99m phytate hepatic scintigraphy/single-photon emission computed tomography—A parametric analysis	31:621
Vitamin D decreases the secretion of eotaxin and RANTES in nasal polyp fibroblasts derived from Taiwanese patients with chronic rhinosinusitis with nasal polyps	31:63
Vitamin D decreases the secretion of matrix metalloproteinase-2 and matrix metalloproteinase-9 in fibroblasts derived from Taiwanese patients with chronic rhinosinusitis with nasal polyposis	31:235
W	
What is harmful for male fertility: Cell phone or the wireless internet?	31:480
Y	
Yakammaoto inhibits enterovirus 71 infection by reducing viral attachment, internalization, replication, and translation	31:293