

Available online at www.sciencedirect.com

ScienceDirect





Title Index

Α A meta-analysis of three identified single nucleotide polymorphisms at 1p13.3 and 1q41 and their 33:1 associations with lipid levels and coronary artery disease A real-world impact of cost-effectiveness of pegylated interferon/ribavarin regimens on treatment-naïve chronic hepatitis C patients in Taiwan 33:44 Aberrant β-catenin expression in urothelial carcinomas in blackfoot disease-endemic areas 33:11 **33:**385 Acceleration of skin wound healing by low-dose indirect ionizing radiation in male rats Achieving a shorter pleura-to-lesion distance by using a coil to mark the fissure side in preoperative lung nodule localization 33:104 Achyranthes bidentate saponins protect rat articular chondrocytes against interleukin-1β-induced inflammation and apoptosis in vitro 33:62 **33:**473 Acupuncture-related penetrating eye injury ADAMTS-3, -13, -16, and -19 levels in patients with habitual abortion **33:**30 An uncommon cause of anterior elbow pain: Diagnosis and injection for bicipitoradial bursitis using ultrasonography 33:212 Analysis of MMP-7 and TIMP-2 gene polymorphisms in coronary artery disease and myocardial infarction: A Turkish case-control study 33:78 33:367 Angiosarcoma of kidney with calcification: A rare case report **33:**55 Application of noninvasive brain stimulation for post-stroke dysphagia rehabilitation Are optic discs with large physiological cups really healthy? 33:159 Assessment of therapeutic effect of human choriogonadotropin in a chemical cystitis model 33:229 Association between the eruption of the third molar and caries and periodontitis distal to the second molars 33:246 in elderly patients Association of copy number variations in complement factor H-Related genes among age-related macular degenerative subjects 33:602 Association of MMP-2 and MMP-9 expression with recurrences in primary spontaneous pneumothorax 33:17 Association of plasminogen activator inhibitor-1 and vitamin D receptor expression with the risk of keloid 33:24 disease in a Chinese population В BMP-2 combined with salvianolic acid B promotes cardiomyocyte differentiation of rat bone marrow mesenchymal stem cells 33:477 C Chloroquine and hydroxychloroquine inhibit bladder cancer cell growth by targeting basal autophagy and 33:215 enhancing apoptosis Cholesterol granuloma of the orbit **33:**422 Clinicopathological evaluation of Marjolin ulcers over two decades 33:327 Community-acquired Legionella pneumophilia pneumonia presenting with spontaneous pneumothorax **33:**530 Comparison of echocardiographic findings in patients with nonfunctioning adrenal incidentalomas 33:295 Comparison of EMG signals recorded by surface electrodes on endotracheal tube and thyroid cartilage during monitored thyroidectomy **33:**503 Comparison of renal pelvic pressure and postoperative fever incidence between standard- and mini-tract percutaneous nephrolithotomy 33:36 Comparison of serum acetyl hydrolase (PAF-AH) and paraoxonase 1 (PON1) values between prostate cancer patients and a control group 33:572

II Title Index

Computed tomography findings predicting the success of silodosin for medical expulsive therapy of ureteral stones Correlation between change of tongue area and skeletal stability after correction of mandibular prognathism Correlation of benign prostatic obstruction-related complications with clinical outcomes in patients after	33: 290 33: 302
transurethral resection of the prostate Correlations of dietary energy and protein intakes with renal function impairment in chronic kidney disease	33:144
patients with or without diabetes Corrigendum to "Evaluation of mechanical strengths of three types of mini-implants in artificial bones" [Kaphainan Mad Sai 22 (2) (2017) 06 101]	33: 252
[Kaohsiung J Med Sci 33 (2) (2017) 96-101] Cost effectiveness of hepatitis C treatments: Need for a comprehensive evaluation	33: 163 33: 584
Cytoreductive cryosurgery in patients with bone metastatic prostate cancer: A retrospective analysis	33:609
D	
Development and <i>in vivo</i> evaluation of self-microemulsion as delivery system for α -mangostin	33: 116
Distinct clinical characteristics of paroxysmal nocturnal hemoglobinuria in patients in Southern Taiwan: A	
multicenter investigation	33: 405
Distribution and number of Cajal-like cells in testis tissue with azoospermia	33: 181
Distribution of genes encoding resistance to aminoglycoside modifying enzymes in methicillin-resistant	22.507
Staphylococcus aureus (MRSA) strains Drug interaction between valproic acid and carbapenems in patients with epileptic seizures	33: 587 33: 130
Dysregulation of glucose metabolism since young adulthood increases the risk of cardiovascular diseases in	33.130
patients with bipolar disorder	33: 630
E	
Early development of saphenous vein graft infected pseudoaneurysm caused by perioperative <i>Enterobacter</i>	
cloacae bacteremia	33: 637
Educational intervention on physical restraint use in long-term care facilities - Systematic review and meta-analysis	33:411
Effect of age on biochemical recurrence after radical prostatectomy	33: 91
Effect of obturator nerve block during transurethral resection of lateral bladder wall tumors on the presence	
of detrusor muscle in tumor specimens and recurrence of the disease	33:86
Effect of platelet-rich plasma on reconstruction with nerve autografts	33:69
Effects of gripping volume in the mechanical strengths of orthodontic mini-implant	33: 578
Effects of nicorandil on renal function and histopathology in rats with partial unilateral ureteral obstruction Efficacy and safety of barbed suture in minimally invasive radical prostatectomy: A systematic review and meta-analysis	33: 236 33: 107
Efficacy of holmium laser enucleation of the prostate (HoLEP) in men with bladder outlet obstruction (BOO)	33.107
and non-neurogenic bladder dysfunction	33: 458
Epstein-Barr virus-positive mucocutaneous ulcer	33: 50
Evaluation of mechanical strengths of three types of mini-implants in artificial bones	33:96
Excretory/secretory proteases and mechanical movement of Anisakis pegreffii infective larvae in the	
penetration of BALB/c mice gastrointestine	33: 594
External validation and comparison of the scoring systems (S.T.O.N.E, GUY, CROES, S-ReSC) for predicting	22.547
percutaneous nephrolithotomy outcomes for staghorn stones: A single center experience with 160 cases	33: 516
F	22.277
Factors affecting therapeutic response to Rivastigmine in Alzheimer's disease patients in Taiwan	33:277
G	
Gambogic acid improves non-small cell lung cancer progression by inhibition of mTOR signaling pathway	33: 543
Genetic diversity of multidrug-resistant <i>Mycobacterium tuberculosis</i> strains isolated from tuberculosis	22.550
patients in Iran using MIRU-VNTR technique Genetic polymorphism in matrix metalloproteinase-9 and transforming growth factor-β1 and susceptibility to	33: 550
combined pulmonary fibrosis and emphysema in a Chinese population	33: 124
Ginseng polysaccharide serves as a potential radiosensitizer through inducing apoptosis and autophagy in the	33.121
treatment of osteosarcoma	33: 535
Glutathione peroxidase 3 gene polymorphisms and the risk of sudden sensorineural hearing loss	33: 359
н	
Hepatocellular carcinoma metastatic to kidney mimicking renal cell carcinoma	33: 161
High frequencies of a favorable IL-28B rs8099917 polymorphism and the clinical implications in patients with	
HCV in one multiracial area of Taiwan	33: 510

Title Index III

High Nrf2 expression in alveolar type I pneumocytes is associated with low recurrences in primary spontaneous pneumothorax	33:496
I and the second	
Improved fat transplantation survival by using the conditioned medium of vascular endothelial growth factor transfected human adipose-derived stem cells	33: 379
Independent and additive interaction between polymorphisms of tumor necrosis factor $\alpha-308$ and lymphotoxin $\alpha+252$ on risk of hepatocellular carcinoma related to hepatitis B	33: 453
Interactive effects between Lymphotoxin α +252 polymorphism and habits of substance use on risk of	
hepatocellular carcinoma Intravenous drug abuse is a risk factor in the failure of two-stage treatment for infected total hip arthroplasty	33: 334 33: 623
Is reflux symptom index reliable to assess the reflux status of chronic rhinosinusitis patients?	33: 318
L	
Late-onset nonlesional nondominant frontal lobe seizures presenting as ictal dyscalculia	33: 52
M	
Manifestation of hyperaldosteronism related hypokalemia in a case of anorexia nervosa	33: 533
miR-206 enhances nasopharyngeal carcinoma radiosensitivity by targeting IGF1	33:427
Motorized injector-assisted intrascleral intraocular lens fixation	33: 137
N .	
Neurocognitive function in clinically stable individuals with long-term bipolar I disorder: Comparisons with	
schizophrenia patients and controls	33: 260
Nodular fasciitis causing progressive limitation of knee flexion in a marathon runner: Imaging with ultrasound and magnetic resonance	33:266
and magnetic resonance	33.200
	22.475
Observation of bifid mandibular canals on cone-beam computed tomography Osteolytic lesions resulting from opportunistic infections	33: 475 33: 365
	33. 303
P	
Partial nephrectomy vs. radical nephrectomy for stage I renal cell carcinoma in the presence of predisposing	22.220
systemic diseases for chronic kidney disease Pegylated interferon plus ribavirin combination therapy in postliver transplant recipients with recurrent	33: 339
hepatitis C virus infection	33: 284
Periodontal surgery improves oral health-related quality of life in chronic periodontitis patients in Asian population	
Placental apoptosis in recurrent miscarriage	33: 449
Primary cutaneous sarcomatoid carcinoma presenting as a rapidly-growing and ulcerative tumor of the skin	33: 315
Proposal of a diagnostic algorithm for intraductal ultrasonography to distinguish between benign and	22.254
malignant biliary strictures	33: 351
Q	
Quality of life and functional capacity are adversely affected in osteoarthritis patients with neuropathic pain	33: 152
R	
Rapamycin-ameliorated diabetic symptoms involved in increasing adiponectin expression in diabetic mice on	
a high-fat diet	33: 321
Regulatory effects of miR-146a/b on the function of endothelial progenitor cells in acute ischemic stroke in mice	33: 369
Relationship of mast cell density with lymphangiogenesis and prognostic parameters in breast carcinoma Relationship of the MTHFD1 (rs2236225), eNOS (rs1799983), CBS (rs2850144) and ACE (rs4343) gene	33:171
polymorphisms in a population of Iranian pediatric patients with congenital heart defects	33:442
Reply to "cost effectiveness of hepatitis C treatments: Need for a comprehensive evaluation"	33:586
Robotic versus conventional laparoscopic cholecystectomy: A comparative study of medical resource	
utilization and clinical outcomes	33: 201
Role of cyclooxygenase-2 inhibitors in the survival outcome of colorectal cancer patients: A population-based	
cohort study	33: 308
Role of interleukin-6 and pentraxin 3 as an early marker in Peyronie's disease	33: 195
S	
Selective regulation of IKKβ/NF-κB pathway involved in proliferation inhibition of HFLS-RA cells induced by	
1,7-dihydroxyl-3,4-dimethoxylxanthone	33:486

IV	Title Index
Serum <i>Wisteria floribunda</i> agglutinin-positive Mac-2-binding protein expression predicts disease severity in chronic hepatitis C patients Spontaneous intramural esophageal dissection mimicking esophageal rupture Surgical management of urinary stones with abnormal kidney anatomy	33:394 33:102 33:207
Т	
The eIF3a Arg803Lys genetic polymorphism is associated with susceptibility to and chemoradiotherapy efficacy in cervical carcinoma The association of genetic polymorphisms of hypoxia inducible factor-1 alpha and vascular endothelial	33: 187
growth factor with increased risk of chronic obstructive pulmonary disease: A case-control study The effect of cranioplasty in cognitive and functional improvement: Experience of post traumatic brain	33: 433
injury inpatient rehabilitation	33: 344
The effects of pirfenidone on T helper cells in prevention of intraperitoneal adhesions	33: 271
The feasibility of sugammadex for general anesthesia and facial nerve monitoring in patients undergoing parotid surgery	33: 400
The outcomes of glucose abnormalities in chronic hepatitis C patients receiving interferon-free direct antiviral agents	33:567
The relationship between the CYP19 alleles rs727479A/C, rs700518A/G, and rs700519C/T and pregnancy outcome after assisted reproductive technology in patients with polycystic ovary syndrome in a Chinese	
population: A population-based study	33: 558
The role of interleukin- 1β and extracellular signal-regulated kinase 1/2 in glucose-stimulated insulin secretion. Three dimensional versus standard miniplate fixation in the management of mandibular fractures: A meta-	33: 224
analysis of randomized controlled trials Transcutaneous electrical nerve stimulator of 5000 Hz frequency provides better analgesia than that of 100	33:464
Hz frequency in mice muscle pain model	33: 165
Treat penile Mondor's disease with corticosteroid cream	33:424
U	
Upper gastrointestinal bleeding caused by Strongyloides stercoralis: Highlighting a neglected parasitic infection	on 33: 269
V	
Vonoprazan treatment improves gastrointestinal symptoms in natients with gastroesophageal reflux disease	33.616